





New items inside - Check pages 3 & 7



Deadwate for Deadwattion Taxon Deaces Lance Deinford and Longitude	D
Products for Production Toner Presses, Laser Printers and Copiers	Page
DiversiPrint [®] Papers	3
DiversiPrint® Cover-ups	3
DiversiPrint [®] Films & Specialty Dual Purpose Films	4 6
Dual Fulpose Films	0
Products for Ink Jet Printers	
DiversiPrint [®] Papers	3
Products for HP Indigo[®] Digital Presses	
Digi [™] Papers	7
Digi [™] Cover-ups	7
Dual Purpose Films	6
Multi-Purpose Die Cut Labels	
Uncoated	
Rectangles/ Squares 8½ x 11	9
Circles 8 ¹ / ₂ x 11	9
Ovals 8½ x 11	9
CD/DVD 8½ x 11	9
Clear Laser Polyester	10
Rectangles 8½ x 11	10
Specialty Applications	
Auto Window Sticker 81/2 x 11	10
Name Badge 8½ x 11	10
Custom Capabilities	
Full Sheet Digital Express Program	8
Multi-Purpose die cut labels	11
Technical Data	
Multi-Purpose die cut labels	12
Production toner, laser printers and copiers	5
Avery [®] Laser Printable Labels 8½ x 11	
	13
White Easy Peel® Laser Labels White Multipurpose Labels White Shipping Labels w/TrueBlock [®]	13
White Shipping Labels w/TrueBlock [®]	13
White Flexible Name Badges	13
Name Badge Inserts Microperfed	13
Brought to you by Spinnaker Coating	

Advantedge Lechnology, Digi, DiversiPrint, Stri-Lac and Ultra Matte are trademarks of Spinnaker Coating, LLC. Astrobrights and the Astrobrights colors are trademarks of Neenah Paper Inc. Finch Fine is a registered trademark of Finch Paper LLC. HP and Indigo are trademarks of Hewlett-Packard Development Company, L.P. Kodak and NexPress are trademarks of Eastman Kodak Company. Avery, Easy Peel and TrueBlock are registered trademarks of Avery Dennison Corporation. Teslin is a registered trademark of PPG Industries.





Paper Pr	oducts for	Production To	oner, Laser P	rinters and	d Copie	rs 🕨	
Spinnaker stock #	sheet size	liner	adhesive	inner carton packaging	sheets per carton	carton weight	features
	t [®] 60# Gloss			1 0 0		0	
0002130	8.5 x 11	58# Scored	Permanent	100 box	1000	26#	A cast coated face stock with a mirror
0044500	12 x 18	58# Scored	Permanent	100 wrap	200	12#	finish for superb print reproduction.
0002128	12 x 18	58# Scored	Permanent	100 wrap	500	30#	Permanent is Kodak NexPress
0044638	12 x 18	58# 0 Split	Permanent	100 wrap	200	12#	approved. Removable is pending
0044501	12 x 18	58# Scored	Removable	100 wrap	200	12#	certification.
0044301	13 x 19	58# Scored	Permanent	100 wrap	200	16#	
0040700	10 × 19	30# 900red	remanent	Too wrap	200	10#	Brightness: 87 Opacity: 90 Caliper: 8.1 mil GSM: Perm 198 / Rem 209
DiversiPrin	t [®] 55# Semi GI	oss					
0043957	12 x 18	58# Scored	Permanent	100 wrap	200	12#	An archival quality, semi gloss finish
0049038 NE	W 12 x 18	58# 0 Split	Permanent	100 wrap	200	12#	stock for superb print reproduction
							Brightness: 89 Opacity: 87 Caliper: 7.0 mil GSM: 193
DiversiPrin	t [®] 60# Ultra Ma	atte [™]					ł
0002133	8.5 x 11	58# Scored	Permanent	100 box	1000	26#	A premium, C1S matte paper featuring
0044502	12 x 18	58# Scored	Permanent	100 wrap	200	12#	superior print surface and smudge
0002131	12 x 18	58# Scored	Permanent	100 wrap	500	30#	resistance.
0049041 NE	W 12 x 18	58# 0 Split	Permanent	100 wrap	200	12#	Brightness: 89 Opacity: 91
0044503	12 x 18	58# Scored	Removable	100 wrap	200	12#	Caliper: 8.3 mil
							GSM: Perm 202 / Rem 213
DiversiPrin	t [®] 60# Bright V	Vhite					Also suitable for Ink Jet Printing
0002135	8.5 x 11	58# Scored	Permanent	100 box	1000	26#	A premium bright white offset offering
0002531	8.5 x 11	58# 0 Split	Permanent	100 box	1000	26#	excellent contrast and ink receptivity.
0044504	12 x 18	58# Scored	Permanent	100 wrap	200	12#	
0002134	12 x 18	58# Scored	Permanent	100 wrap	500	30#	
0044505	12 x 18	58# 0 Split	Permanent	100 wrap	200	12#	PCW Content: 10%
0002529	12 x 18	58# 0 Split	Permanent	100 wrap	500	30#	Brightness: 98 Opacity: 93
0048701	13 x 19	58# Scored	Permanent	100 wrap	200	16#	Caliper: 9.0 mil GSM: 202
0002530	17.25 x 22.25	58# 0 Split	Permanent	100 wrap	500	52#	
Diver <u>siPrin</u>	t [®] 60# Gloss C	over-up					l
0044506	12 x 18	58# Scored	Permanent	100 wrap	200	12#	This cast coated face stock has a mirror
				·			finish and an added barrier coat making this sheet ideal for cover-up applications or when increased opacity is required.
							Brightness: 80 Opacity:>98 Caliper: 8.3 mil GSM: 206
DiversiPrin	t [®] 60# <u>Ultra Ma</u>	atte [™] Cover-up					
0044507	12 x 18	58# Scored	Permanent	100 wrap	200	12#	A C1S matte face stock. The added barrier coat makes this sheet ideal for cover-up applications or when increased opacity is required.
							Brightness: 83 Opacity:>98 Caliper: 8.3 mil GSM: 210





12#	features A 2.0 mil top-coated, gloss white polyester film featuring excellent laser print quality, toner adhesion and durability. This product is also suitable for desktop printers. Edges are stripped to reduce adhesive contamination. Caliper: 6.0 mil GSM: 179
12#	A 2.0 mil top-coated, gloss white polyester film featuring excellent laser print quality, toner adhesion and durability. This product is also suitable for desktop printers. Edges are stripped to reduce adhesive contamination.
	polyester film featuring excellent laser print quality, toner adhesion and durability. This product is also suitable for desktop printers. Edges are stripped to reduce adhesive contamination.
10#	Caliper: 6.0 mil GSM: 179
10#	
10#	
12#	A 2.5 mil top-coated, matte white
12#	polyester film featuring excellent laser
	print quality, toner adhesion and durability. Also suitable for desktop printers. Edges are stripped to reduce adhesive contamination.
	Caliper: 6.5 mil GSM: Perm 183 / Rem 176
25#	A 2.0 mil top-coated, gloss clear
12#	polyester film featuring excellent laser print quality, toner adhesion and durability. Also suitable for desktop printers. Edges are stripped to reduce adhesive contamination.
	Caliper: 6.0 mil GSM: 185
ers ►	
orton woight	features
anon weight	leatures
13#	Bright white rayon/acetate cloth typically used for name badge labels featuring a special top-coat for digital printing. Fabric count: Warp 192 and Fill 50
	Caliper: 11.6 mil GSM: 262
	arton weight

indicates items sold in 100 sheet box increments

denotes discontinued item once current inventory is depleted





Technical Data - Diversiprint

Technical Data for Printing DiversiPrint[®] Pressure Sensitive for Production Toner Presses, Laser Printers, and Copiers

Paper Products

Laser printing after offset printing:

• For best laser processing results, after offset printing immediately package printed stock in a moisture barrier wrap

Desktop and mid-range laser printers:

- Feed through manual feed tray
- Use "heavy paper" setting or set to proper GSM for best toner anchorage

High-speed laser printers:

- For best feeding results, use the belt/friction feed loading tray and the top delivery tray
- Use the appropriate GSM setting for best toner anchorage and feeding

Film Products

- For best toner anchorage, use appropriate GSM or thickness setting. In some printers, "heavyweight" is the correct setting
- When printing clear, choose the "white" setting as the printer will recognize the liner
- Use the maximum amount of static elimination
- If a jam occurs, turn the sheets so that the opposite edge becomes the feed edge as the jam may have been caused by a bent corner





Spinnaker				inner carton	sheets per		fa a human
stock #	sheet size	liner	adhesive	packaging	carton	carton weight	features
Mil Digita	al Teslin [®]						
0044932	12 x 18	80# Scored	Permanent	100 wrap	200	16#	Synthetic stock providing excellent
0048319	12 x 18	80# 0 Split	Removable	100 wrap	200	16#	printabilty and durability. Permanent items are ideal for menus, maps and
0044651	13 x 19	80# Scored	Permanent	100 wrap	200	18#	banners. The removable item is idea for cooler labels. Caliper: 12.2 mil
							GSM: Perm 250 / Rem 257
latte Whit	e Digital Vinyl						
0045512	12 x 18	80# Scored	Permanent	100 wrap	200	18#	A 3.4 mil topcoated vinyl engineered
0045511	12 x 18	80# 0 Split	Permanent	100 wrap	200	18#	production toner presses & high-spe
0045510	12 x 18	80# Scored	Ultra Removable	100 wrap	200	18#	and mid-range laser printer. Not recommended for desktop printers.
0045509	12 x 18	80# 0 Split	Ultra Removable	100 wrap	200	18#	
0046759	13 x 19	80# Scored	Permanent	100 wrap	200	20#	
0046760	13 x 19	80# Scored	Ultra Removable	100 wrap	200	20#	Caliper: Perm 8.9 mil / Rem 8.8 mil
0047675	29.5 x 20.5	80# Scored	Permanent	100 Wrap	200	49#	GSM: Perm 273 / Rem 270
0047672	29.5 x 20.5	80# Scored	Ultra Removable	100 wrap	200	49#	
latte Clea	r Digital Vinyl						
0045508	12 x 18	80# 0 Split	Permanent	100 wrap	200	18#	A 3.5 mil topcoated vinyl engineered
0045505	12 x 18	80# 0 Split	Ultra Removable	100 wrap	200	18#	production toner presses & high-spe
0046761	13 x 19	80# 0 Split	Permanent	100 wrap	200	20#	and mid-range laser printer. Not recommended for desktop printers.
0046762	13 x 19	80# 0 Split	Ultra Removable	100 wrap	200	20#	recommended for desktop printers.
0047673	20.5 x 29.5	80# 0 Split	Ultra Removable	100 wrap	200	49#	
							Caliper: Perm 9.0 mil / Rem 8.9 mil GSM: Perm 264 / Rem 261

denotes discontinued item once current inventory is depleted



Certified for **HP Indigo**

Refer to HP Indigo printer settings matrix on website for certification with model number.

*Independent testing was performed at the Printing Application Laboratory at Rochester Institute of Technology.





Paper Products for HP Indigo Digital Press

Premium Pressure Sensitive Sheets Customer Support Phone: 800-543-9452 Technical Support Phone: 877-210-5104 www.spinps.com

Spinnaker stock #	sheet size	P Indigo Digital	adhesive	inner carton packaging	sheets per carton	carton weight	features
	s Optimized fo		aunesive	packaging	Canton		
-	12 x 18	80# Scored	Permanent	100 wron	200	14#	A 60# cast coated paper stock with a
0044508 0009799				100 wrap	200		mirror finish which is optimized for HP
	12 x 18	80# Scored	Permanent	100 wrap	500	36#	Indigo.
0044639	12 x 18 13 x 19	80# 0 Split 80# Scored	Permanent	100 wrap	200	14#	
0044509		80# Scored	Permanent	100 wrap	200	16#	Brightness: 84 Opacity: 90
0047524	29.5 x 20.5	80# Scored	Permanent	100 wrap	200	44#	Caliper: 9.0 mil
™ .							GSM: Perm 223 / Rem 240
)igi [™] Semi			. .				
0044510	12 x 18	80# Scored	Permanent	100 wrap	200	14#	A HP Indigo 55# semi-gloss facestock
0045684	13 x 19	80# Scored	Permanent	100 wrap	200	16#	
							Brightness: 87 Opacity: 89
тм							Caliper: 8.4 mil GSM:220
igi [™] Matte	9						-
0044511	12 x 18	80# Scored	Permanent	100 wrap	200	14#	A 60# C1S matte finish paper suitable
0009801	12 x 18	80# Scored	Permanent	100 wrap	500	36#	for HP Indigo.
0049039 N	EW 12 x 18	80# 0 Split	Permanent	100 wrap	200	14#	
0045687	12 x 18	80# Scored	Removable	100 wrap	200	14#	
0044512	13 x 19	80# Scored	Permanent	100 wrap	200	16#	Brightness: 89 Opacity: 91
0047521	29.5 x 20.5	80# Scored	Permanent	100 wrap	200	44#	Caliper: 9.1 mil
							GSM: Perm 221 / Rem 238
igi [™] Unco	bated Finch Fir	าe [®] iD					
0044513	12 x 18	80# Scored	Permanent	100 wrap	200	14#	A HP Indigo ready bright-white 60#
0043099	12 x 18	80# Scored	Permanent	100 wrap	500	36#	uncoated face stock.
0044640	12 x 18	80# 0 Split	Permanent	100 wrap	200	14#	PCW Content: 10%
0045683	13 x 19	80# Scored	Permanent	100 wrap	200	16#	Brightness: 98 Opacity: 90
							Caliper: 9.2 mil GSM: 227
)igi [™] 8 pt [·]	Tag Optimized	for HP Indigo					
0044514	12 x 18	80# Scored	Permanent	100 wrap	200	20#	A HP Indigo optimized 8 pt tag
							Brightness: 89 Opacity: 94
TM							Caliper: 13.2 mil GSM: 320
		timized for HP Inc					
0044515	12 x 18	80# Scored	Permanent	100 wrap	200	14#	An optimized 60# cast coated paper stock with a mirror finish. This version
							has the added barrier coat for increas
							opacity.
							Brightness: 79 Opacity: >98
TM							Caliper: 9.1 mil GSM:232
	e Cover-up						
0044516	12 x 18	80# Scored	Permanent	100 wrap	200	14#	A 60# C1S matte finish paper suitable for HP Indigo which has the added
							barrier coat for increased opacity.
							Brightness: 83 Opacity: >98
							Caliper: 9.2 mil GSM: 231

Certified for HP Indigo

Refer to HP Indigo printer settings matrix on website for certification with model number.

*Independent testing was performed at the Printing Application Laboratory at Rochester Institute of Technology.



ww.steadfastpaper.com Authorized Distributor



Full Sheet Digital Express Program 🕨

In need of sizes not stocked in the standard digital line? Are standard sizes not working for the best label layout or optimum press efficiency? Does your customer require a standard size but prefers bulk packaging due to the quantity involved?

Let us help you with our Full Sheet Digital Express Program

When non-stocking digital sheet sizes are needed for maximum press efficiency, use the Full Sheet Digital Express Program.

- **Products:** all stock constructions listed in this Digital Catalog qualify
 - · Papers & Films for Toner or HP Indigo printing
 - · Permanent, Removable (Ultra-Removable for films) and Cover-ups
 - · HP Indigo certified substrates
 - Toner products successfully tested in several leading printers, including but not limited to: KODAK NEXPRESS, Xerox DocuColor and iGen Series, Canon and Konica Minolta

Sizes: 8 1/2 x 11, 8 1/2 x 14, 11 x 17, 12 x 18, 13 x 19 and 14 x 20 sheet sizes*

Packaging: bulk packed in cartons

Order/Freight: Minimum: 1,000 sheets/ Maximum: 10,000 sheets*

Leadtime: ships in 2 - 5 business days

* Larger quantities and additional digital sizes are available but may have a longer leadtime

Technical Support ►

Questioning which construction works in your digital equipment? Not sure which product is recommended for the application? Need additional printing tips for a specific printer?

Spinnaker's **Technical Consulting** Group is ready to answer your questions...... call 877-210-5104 for assistance.





Premium Pressure Sensitive Sheets Customer Support Phone: 800-543-9452 Technical Support Phone: 877-210-5104 www.spinps.com

Spinnaker stock #	Spinnaker mfg #	labels per sheet	label size	inner carton packaging	sheets per carton	Avery [®] template ref	features
	White/ Permane			puokaging	ballon	template for	loadinoo
S4401A	0080649	1	8 1/2 x 11	100 box	1000	5165™	Adhesive suitable for guillotine cutting
S4402•	0080102	2	8 1/2 x 5 1/2	100 box	1000		An opaque sheet suitable for multiple
S4304	0080104	4	4 x 5	100 box	1000		digital print technologies, including
S4504	0080106	4	3 1/2 x 5	100 box	1000	5168™	laser, copier and ink jet; manufacture
S4704	0080268	4	3 x 5	100 box	1000		with an aggressive permanent adhes and 35# layflat liner.
S4404•	0080270	4	4 1/4 x 5 1/2	100 box	1000		
S4306	0080107	6	4 x 3 1/3	100 box	1000	5164™	
S4706•	0080267	6	4 1/4 x 3 1/3	100 box	1000		
S4308	0080111	8	4 x 2 1/2	100 box	1000		
S4408•	0080309	8	4 1/4 x 2 3/4	100 box	1000		
S4310	0080112	10	4 x 2	100 box	1000	5163™	Opacity: 92
S4410•	0080266	10	4 1/4 x 2	100 box	1000	5352™	Brightness: 96
S4512	0080265	12	2 x 3	100 box	1000		Caliper: 6.9 mil
S4314	0080115	14	4 x 1 1/3	100 box	1000	5162™	GSM: 159
S4320 ¹	0080116	20	4 x 1	100 box	1000	5161™	
S4720	0082777	20	2 x 2	100 box	1000		
S4421•	0080259	21	2 5x6 x 1 1/2	100 box	1000		
S4330 ²	0080118	30	2 5/8 x 1	100 box	1000	5160™	All labels on this page (except S4401
S4433•	0080121	33	2 5/6 x 1	100 box	1000	0100	are manufactured with Spinnaker's
S4350	0080310	50	1 1/2 x 1	100 box	1000		Advantedge Technology®, a unique
	0080122	80		100 box	1000	5167™	manufacturing process by which the
							outer 1/16" edge of the 8 1/2 x 11 sh is adhesive-free. This virtually eliminates the risk of adhesive ooze and contamination in digital equipment
rcles							
S4106	0080271	6	3 1/3 Circles	100 box	1000	5295™	
S4012	0080218	12	2 1/2 Circles	100 box	1000	5294™	~
S4420	0080345	20	2 Circles	100 box	1000		Adhestve
S4024	0080273	24	1 2/3 Circles	100 box	1000	5293™	No Adhesive
S4030	0080274	30	1 1/2 Circles	100 box	1000		
S4063	0082775	63	1 Circles	100 box	1000		
S4120	0080755	120	3/4 Circles	100 box	1000		
D/DVD L							
S4602	0080123	2	4 5/8 CD/DVD	100 box	1000		
S4802	0080272	2	4 1/2 CD/DVD w/spine .2188 x 4.687	100 box	1000	5824™	

¹Indicates 1 vertical perf

²Indicates 2 vertical perfs

• Indicates butt cut layout

All items on this page are sold in 100 sheet box increments

Templates available at www,spinps.com





Multi-Pur	pose Die C	Cut Labels - S	pecialty Appli	cations ►	sheets per	Avery	
	Spinnaker mfg #	labels per sheet	label size	packaging	carton	template ref	features
Auto Windo	w Sticker	50# Uncoated wit	h liner die cut 81/2	x 11			
S4801RC	0080539	1	8 x 10	100 box	1000		This facestock is part of a constructior in which the liner is printed, picture frame matrix removed and the label applied to the inside of an auto window The face becomes a carrier in this application and is typically not printed. However, this stock is a bright white, uncoated paper suitable for productior toner, laser printers/copiers.
							Caliper: 7.4 mil GSM:171
lame Badge S4508B	e 50# BW (0080349	Jncoated / Acrylic 8	: Badge adhesive 3 3/8 x 2 1/3	with micro pe	erfs 8½ x 1000	11 5395™	This bright white uncoated sheet is
							suitable for a wide variety of digital pr technologies, including laser and ink
							Brightness: 93 Opacity: 88
							Caliper: 6.6 mil GSM: 152

All items on this page are sold in 100 sheet box increments

Templates available at www.spinps.com





Adhesive-free Edge Die-cut Custom Capabilities for 81/2 x 11 Sheet Size

Facestocks

96 Bright White Uncoated Laser Gloss - High gloss finish Fluorescents - Red, Green, Orange, Chartreuse and Pink Astrobrights[®] - Stock colors; contact Customer Support for color availability Natural Cream Ultra Matte[™] Litho

Order & Freight Minimum

Quantity: 1,000 sheets

Custom Lead-times

3 -10 business days after die approval based on quantity & die availability

Custom Packaging

Bulk carton packed: 250 sheets per bag/ 1,000 sheets per carton

Custom Capabilities for Digital Sizes

Constructions

Stocks for production toner, laser printers or HP Indigo digital presses Papers from high gloss to offset finishes

Films including white & clear vinyls and 7 mil Teslin® Permanent, removable, ultra-removable & cover-up products

All stocking constructions in this catalog are available

Sizes Available Include

 $8\frac{1}{2}$ x 11, $8\frac{1}{2}$ x 14, 11 x 17, 12 x 18, 13 x 19 and 14 x 20

Order & Freight Minimum

As low as 1,000 sheets, depending on construction

Custom Lead-times

3 -10 business days after die approval

Custom Packaging

Bulk carton packed

All Custom Die-cut Labels

No Die-charge

Will not receive a separate die charge

Perforations

Face and/or liner perforations available

Assistance

Spinnaker Coating can easily create custom die patterns - contact Customer Support for additional information





Die Cut Laser Label Tips and Guidelines

Label Formatting

Follow printer software guidelines for formatting label data. See Spinnaker's website at www.spinps.com for label templates. Labels are also compatible with Avery Label Pro and other popular software. For cross reference, select the layout code that corresponds with the Spinnaker label. If no label is found, use the Spinnaker measurements to create a new label.

Fanning

Select the desired number of label sheets and gently fan the edges to reduce static electricity. If curl is evident, manually bend and flatten the sheets before loading.

Loading and Printing

Consult the owner's manual to determine the proper placement of labels in the feed tray. It is acceptable to place the labels directly on top of the paper that may be in the tray. Do not exceed the recommended number of sheets. For best toner anchorage and processing, ensure printer settings reflect proper weight. Proceed to make copies as if printing paper. Reference GSM for printer settings.

Caring for unused labels

Place any unused sheets from the paper tray into the protective plastic bag and store in a cool, dry environment.

Cautions

Do not run label stock through the printer twice. Should a jam appear, locate the jammed sheet and remove it before restarting the printer. Products made with Advantedge Technology[®] adhesive are not recommended for guillotine applications.





Contact Spinnaker Coating for all your pressure sensitive needs Customer Support Phone: 800-543-9452 Technical Support Phone: 877-210-5104 www.spinps.com

Brought to you by Spinnaker Coating

stock #	System #	labels per sheet	label size	adhesive	carton wt	packaging	packs per carton/ sheets per carto
ite Easy	v Peel [®] Laser	Labels (Uncoated)				
5162	0080709	14	1 1/3 x 4	Permanent	13#	100	5 packs/ 500 sheets
5160	0080702	30	1 x 2 5/8	Permanent	13#	100	5 packs/ 500 sheets
5167	0080712	80	1/2 x 1 3/4	Permanent	13#	100	5 packs/ 500 sheets
ite Mult	ipurpose Lab	els (Uncoated)					
6460	0080708	30	1 x 2 5/8	Removable	5#	25	5 packs/ 125 sheets
			coated)	_	10.1		
5165	0080706	1	8 1/2 x 11 5 x 3 1/2	Permanent	13# 13#	100	5 packs/ 500 sheets
5168 5164	0080705	4	3 1/3 x 4	Permanent Permanent	13#	100	5 packs/ 500 sheets
5164 5163	0080700 0080703	6 10	2 x 4	Permanent	13#	100 100	5 packs/ 500 sheets 5 packs/ 500 sheets
ite Flexi	ible Name Ba	dges (Uncoated)					
5395	0080704	8	2 1/3 x 3 3/8	Badge	5#	50	5 packs/ 250 sheets
	ge Inserts Mic		,				
5392	0080701	6	3 x 4	Non PS	5#	50	5 packs/ 250 sheets

Minimum Order

Inner packs of 100 are sold by the box

Inner packs of 25 or 50 are sold in full carton increments

