



2017 | Premium Pressure-Sensitive Products for Offset & Digital Printing





January 2017 | MAC0350 Product Catalog





Product	Pages
Application, Adhesive Guide & Tips	2-3
White Paper (included cut size sheets available in 1,000 sheet cartons)	4-5
Cougar [®] Bright White Opaque	4
Recycled Paper	5
Blockout	6
Fluorescent Paper & Bright Color Paper	7
 Laminated Foils	8
Satin Cloth for Name Badge and Specialty Promotion	8
Vinyl & Wall Vinyl	8
Teslin [®] , Polypropylene Film, Polyester & Acetate	9
Indigo Compatible Products	10-11
Production Digital Press Products	12-13
Lighter Weight Products for Laser and Direct Image Presses	13
MAC2DAY sm Service Program	14-15
Custom Orders	15
Warranty	16

If your end use is	и	le recommend you tes	t
PACKAGING Permanent For adhesion to paper, paperboard, corrugated, most fiber drums and plastics. Wide variety of choices depending on the desired aesthet- ics and end use application. Application temperatures above 35°F (-2°C). Caution: Never expose laminated foils to moisture, the foil will separate. Many of our Colorcodes match popular Wausau Paper Astrobright color papers - see page 6.	Uncoated/Matte Novelty® Lyric® Blinding White Natural Encore100	Gloss Cinema® Matinee® Debonair®	Special Look Balcony Byzantine Playhouse Theatre Debonair Colorcodes Brown Kraft
POINT-OF-PURCHASE (POP), MAGAZINE INSERTS, SIGNAGE Permanent, Removable or Repositionable For adhesion to a variety of surfaces. Adhesive choice dependent on end use application. Repositionable Prestige [®] in White or Matte Clear are recommended for signage & POP applied to windows and other glass surfaces.	White Paper Cinema Matinee Debonair Novelty Lyric Blinding White Natural	Color Paper Colorcodes Fluorescent Brown Kraft	Specialty Debut Prestige Premiere
NAME & CONVENTION BADGE Special Badge adhesive is specifically designed for up to 24 hour use on fabric. Non-staining and removes cleanly. CAUTION: Not recommended for fur, leather and suede, sequins, corduroy or silk. Not recommended for long-term removability applications such as socks and tights bands or size labels.	Chorus		
SHIPPING/ADDRESS LABELS Permanent For adhesion to paper, paperboard, corrugated, most fiber drums and plastics. Application temperatures above 35°F (-2°C). Uncoated facestocks recommended for common pens and markers for no-smear performance.	White Paper Novelty	Color Paper Colorcodes Brown Kraft	
COVER-UP (BLOCKOUT) LABELS Permanent For adhesion to paper, paperboard, corrugated, most fiber drums and plastics. Exhibits short-term removability on some plastics. Application temperatures above 25°F (-4°C).	Uncoated Paper Novelty Opaque	Gloss Paper Cinema Opaque Matinee Opaque	Color Paper Brown Kraft (97% Opacity)
WARNING, INVENTORY & SAFETY LABELS Permanent For longer term adhesion to corrugated, most fiber drums or plastics, or for application temperature about 35°F(-2°C).		Color Paper Colorcodes Brown Kraft Fluorescents	

Length of Outdoor Exposure*	Up to 6-12	Up to 6	Up to 12	Up to 18
	weeks	months	months	months
DRUM LABELS, BUMPER STICKERS and LABELS Outdoor conditions and/or demanding conditions. Removable adhesive for short-term — always test for compatibility. Length of time outdoors may affect removability. Permanent adhesive for longer lasting applications. Repositionable adhesive may be reapplied to another surface up to 6 months.	Medley	Prestige Premiere	Debut Teslin	Spotlite II Charade I & II

* Outdoor durability dependent on a number of variable conditions including climate. Results could vary. Please test.





Pressure-Sensitive

PERMANENT ACRYLIC (PA)

Good quick stick to most surfaces. UV resistant, non-yellowing. Super clear, good for clear films. Excellent ultimate adhesion to most surfaces. Suggested for most plastics, paperboard and corrugated surfaces.

SPECIAL BADGE ADHESIVE (B)

Special Badge adhesive is specifically designed for up to 24 hours use on fabric. Non-staining and removes cleanly. **CAUTION:** Not recommended for fur, leather and suede, sequins, corduroy or silk. Not recommended for long-term removability applications such as sock and tights bands or size labels.

SPECIAL REMOVABLE / REPOSITIONABLE (SP REM)

Special Removable / Repositionable applies to wide variety of surfaces such as wood, painted drywall, wall coverings and plastic. Can be cleanly removed and reapplied to many clean surfaces a number of times. Best applied at 45°F (7°C). Maximum service range -65°F (-54°C) to 200°F (82°C) after 24 hour dwell time on substrate before exposure. Always test thoroughly under intended conditions. Intended for up to 6 months. Ambient conditions and integrity of substrate can effect adhesion, repositionability and removability.

REMOVABLE (REM)

Removable is a UV resistant acrylic emulsion with good adhesion to and clean removal from most common surfaces. Always test thoroughly under intended conditions. Ambient conditions and integrity of substrate can effect adhesion and removability.

Mactac [®] STARLINER [®] Adhesive Chart									
Adhesive	Туре	Minimum Application Temperature	Service Range						
Permanent	Acrylic	35° F (-2°C)	-65°F to 200°F (-54°C to 93°C)						
Removable	Acrylic	35° F (-2°C)	-65°F to 180°F (-54°C to 82°C)						
Badge	Acrylic	35° F (-2°C)	-10°F to 200°F (-23°C to 93°C)						
Repositionable (SP Rem)	Acrylic	45° F (7°C)	-65°F to 150°F (-54°C to 66°C)						
Permanent Opaque	Acrylic	35° F (-2°C)	-65°F to 200°F (-54°C to 93°C)						

Pressure-Sensitive "NO-NO's"

- NO Removable adhesive for Convention Badge applications it could stain
- NO Removable or Badge adhesive on leather or suede it could stain
- NO Applications on waxed surfaces without testing first.
- NO Outdoor applications for acetate. Sunlight yellows acetate. Use polyester or vinyl instead.
- NO Rigid paper stocks such as Preview[®] Tag, Lyric Matte Litho or Cinema[®] Cast Coated Gloss or Debonair[®] Cast Coated Cover on small diameter or extremely rough surfaces. Test more conformable products such as Matinee[®] Semi-Gloss, Medley[®] 60# Latex, Premiere[®] Polypropylene, Teslin[®] or Debut[®] Vinyl. Conformable labels allow more adhesive contact to the substrate.
- **NO** Paper stocks for large, removable labels. Test Medley 60# Latex or Prestige repositionable vinyls.
- ALWAY TEST. Contact your Mactac STARLINER Merchant for samples. If you need the name of a local merchant, call us at 800-321-8834 for the name and number of the STARLINER merchant in your area.





White Papers

Description	Stock No.	Sheet Size	Adhesive	Sheets/CTN	Carton W
	SL0042	8 1/2″ x 11″	Permanent	2,000	64#
A bright, blue white, cast coated sheet	SL0041	8 1/2″ x 11″	Removable	2,000	64#
with a rich, lustrous "mirror" finish.	SL0006	17″ x 22″	Permanent	500	64#
Standard offset inks recommended.	SL0005	17″ x 22″	Removable	500	64#
Toner Fusion Compatible*	SL0017	26" x 20"	Permanent	500	88#
	SL0016	26" x 20"	Removable	500	88#
Semi-Gloss - Matinee®	Basis Wt 60 Brigh	ntness 90 Gloss 75 Op	acity 88 Nominal 80# 1	I-1/4" STARLINER S	Scored Line
	SL0028	8 1/2″ x 11″	Permanent	2,000	64#
Point-of-purchase, product	SL0027	8 1/2" x 11"	Removable	2,000	64#
identification, packaging labels. Easy to print. Standard offset inks	SL0002	17" x 22"	Permanent	500	64#
recommended.	SL0001	17" x 22"	Removable	500	64#
Toner Fusion Compatible*	SL0015	26" x 20"	Permanent	500	88#
Toner rusion computible	SL0014	26" x 20"	Removable	500	88#
Matte Coated Litho - Lyric®	Basis Wt 60 Brig	htness 89 Gloss 8 Op	acity 92 Nominal 80# 1	I-1/4" STARLINER S	Scored Line
Point-of-purchase and carton labels.	SL0091	8 1/2″ x 11″	Permanent	2,000	64#
Excellent smudge resistance. Superior	SL0090	8 1/2" x 11"	Removable	2,000	64#
printability. Standard offset inks recommended.	SL0093	17" x 22"	Permanent	500	64#
leconmended.	SL0092	17" x 22"	Removable	500	64#
Toner Fusion Compatible*	SL0095	26" x 20"	Permanent	500	88#
Uncoated Litho - Novelty®	Basis Wt 60	Brightness 96 Opaci	ty 95 Nominal 80# 1-	1/4" STARLINER S	cored Line
Indoor labels including shipping and	SL0085N	8 1/2" x 11"	Permanent	2,000	64#
carton labels. Readily accepts pen, pencil	SL0081N	8 1/2" x 11"	Removable	2,000	64#
and marking devices. Standard offset inks recommended.	SL0086N	17" x 22"	Permanent	500	64#
into recommended.	SL0083N	17" x 22"	Removable	500	64#
Toner Fusion Compatible*	SL0087N	26" x 20"	Permanent	500	88#
Uncoated Smooth - Blinding Wh	ite 2 Basis Wt 60	Brightness 98 Opaci	ity 94 Nominal 80# 1-	1/4″ STARLINER S	cored Lin
The bright, white label stock is perfect	SL1385	8 1/2″ x 11″	Permanent	2,000	64#
for distinctive labels. Accepts pen, pencil	SL1317	17″ x 22″	Permanent	500	64#
and other marking devices. Standard offset inks recommended.	SL1326	26" x 20"	Permanent	500	88#

Toner Fusion & Indigo Compatible*



White Papers — CONTINUED



8 pt. (100lb.) White Premium Co		iew Wt 100 Brightness 91 Glos	ss 50 Opacity 95 Nomina	al 80# 1-1/4″ Sco	red Line
Description	Stock No.	Sheet Size	Adhesive	Sheets/ CTN	Carton Weight
Indoor signage and point-of-purchase displays. Excellent stock where good definition, stiffness or bulk is desired. Standard offset inks recommended.	SL0035N	17" x 22"	Permanent	500	85#
60lb. White Latex Coated Semi-0	Gloss - Medley®		s 65 Opacity 87 Nomina	ıl 80# 1-1/4″Sco	red Line
Drum labels, bumper stickers, emblems and schematics. Good conformability to irregular surfaces. Excellent moisture resistance. Standard offset inks recommended.	SL0023	17" x 22"	Permanent	500	64#
Ivory Matte Coated Litho - Natu	ral	Basis Wt 80 Gloss 35 Opaci	ity 94 Nominal 80# 1-1/4	" STARLINER Sco	red Line
A non-glare, blade coated paper with excellent opacity for superior ink resolution. Rich look for gourmet food, beverage	SL2601	17" x 22"	Permanent	500	70#

Recycled Paper

PCW Brown Kraft	70lb Unco	ated Brightne	ess 92 Opa	city 87 PCW 10	0% Nominal 80# 1	-1/4″ STARLINER S	cored Liner
Brown Kraft from 30% post consumer waste.	SL2991	30%	Brown Kraft	8 1/2″ x 11	Permanent	2,000	65#
Standard offset inks recommended. Toner Fusion Compatible*	SL2992	30%	Brown Kraft	17″ x 22″	Permanent	500	65#



steadfast paper

888.483.6300 www.steadfastpaper.com Authorized Distributor.

products and corporate identification. Standard offset inks recommended.



Block Out

	100% Opacity			Nom	ninal 80# 1-1/4" Scored	Liner No E	Back Print
	Description	Stock No.	Face Stock	Sheet Size	Adhesive	Sheets/ CTN	Carton Wt
		SL0011	Cinema Gloss	12″ x 18″	Permanent Opaque	200	16#
	Blockout Opaque. 100% Opacity.	SL0018	Cinema Gloss	17" x 22"	Permanent Opaque	500	64#
	Ideal for covering pricing changes,	SL0019	Cinema Gloss	26" x 20	Permanent Opaque	500	88#
	mistakes and copy corrections. Variety of facestocks. Standard offset inks	SL0031	Matinee Semi-Gloss	12″ x 18″	Permanent Opaque	200	16#
	recommended. 12" x 18" sized for Toner Fusion(laser) printers and Direct	SL0029	Matinee Semi-Gloss	17″ x 22″	Permanent Opaque	500	64#
		SL0030	Matinee Semi-Gloss	26″ x 20	Permanent Opaque	500	88#
	Image(DI) presses.	SL0243	Lyric Matte Litho	12″ x 18″	Permanent Opaque	200	16#
	Larger sized Matinee®, Lyric® and Novelty®	SL0240	Lyric Matte Litho	17" x 22"	Permanent Opaque	500	64#
	are Toner Fusion Compatible.	SL0242	Lyric Matte Litho	26" x 20	Permanent Opaque	500	88#
	See page 10-12 for more digital	SL0082N	Novelty Uncoated	8 1/2" x 11"	Permanent Opaque	2,000	64#
	products.	SL0088N	Novelty Uncoated	12″ x 18″	Permanent Opaque	200	16#
		SL0084N	Novelty Uncoated	17" x 22"	Permanent Opaque	500	64#
	97% Opacity - Brown Kraft			N	ominal 80# 1-1/4″ STAI	RLINER® Sco	red Liner
	Makes concealing errors on corrugated	SL2991	Brown Kraft	8 1/2" x 11"	Permanent	2,000	64#
	boxes easy and unobtrusive. A 97% opacity level. Standard offset inks recommended. Face contains 30% PCW.	SL2992	Brown Kraft	17″ x 22″	Permanent	500	64#

Toner Fusion Compatible.





Fluorescent

Nominal 80# 1-1/4" Scored Liner

Description	Stock No.	Face Stock	Sheet Size	Adhesive	Sheets/ CTN	Carton Wt
	SL2211	Burlesque Red	8 1/2″ x 11″	Permanent	2,000	64#
	SL2212	Burlesque Red	17″ x 22″	Permanent	500	64#
Attention getting labels, packaging,	SL2238	Limelite Chartreuse	8 1/2" x 11"	Permanent	2,000	64#
sales promotion materials, displays,	SL2215	Limelite Chartreuse	17″ x 22″	Permanent	500	64#
caution labels, pricing and warning	SL2218	Marquee Green	8 1/2" x 11"	Permanent	2,000	64#
labels. Indoor applications. Standard offset inks recommended.	SL2213	Marquee Green	17″ x 22″	Permanent	500	64#
	SL2239	Passion Pink	8 1/2" x 11"	Permanent	2,000	64#
Toner Fusion Compatible.	SL2216	Passion Pink	17″ x 22″	Permanent	500	64#
	SL2237	Vaudeville Orange	8 1/2" x 11"	Permanent	2,000	64#
	SL2214	Vaudeville Orange	17″ x 22″	Permanent	500	64#
Bright Colors - Colorcodo™				Nominal 8	0# 1-1/4" Sco	ored Liner

FFSET/TONER

Bright Colors - Colorcode'"			NO	minal 80# 1-1	/4" Scored	Liner		
Description	Stock No.	Wausau Paper Astrobright Match	PCW %	Color	Sheet Size	Adhesive	Sheets/ CTN	CTN Wt
	SL2230	Re-entry Red	NA	Red	8 1/2" x 11"	Permanent	2,000	64#
Attention getting labels, packaging,	SL2220	Re-entry Red	NA	Red	17″ x 22″	Permanent	500	64#
	SL2236	Gamma Green	30%	Green	8 1/2″ x 11″	Permanent	2,000	64#
sales promotion materials, displays,	SL2227	Gamma Green	30%	Green	17″ x 22″	Permanent	500	64#
caution labels, pricing and warning	SL2231	Solar Yellow	NA	Yellow	8 1/2″ x 11″	Permanent	2,000	64#
labels. Indoor applications. Standard offset inks recommended.	SL2221	Solar Yellow	NA	Yellow	17″ x 22″	Permanent	500	64#
	SL2232	Orbit Orange	30%	Orange	8 1/2″ x 11″	Permanent	2,000	64#
Toner Fusion Compatible.	SL2222	Orbit Orange	30%	Orange	17″ x 22″	Permanent	500	64#
	SL2233	Lunar Blue	30%	Blue	8 1/2″ x 11″	Permanent	2,000	64#
	SL2223	Lunar Blue	30%	Blue	17″ x 22″	Permanent	500	64#





Films & Specialty

Laminated Foils			Nominal 80# 1-1/4" Scored Liner No Back Print				
Description	Stock No.	Fa	ace Stock	Sheet Size	Adhesive	Sheets/ CTN	Carton Wt
Deluxe labels for quality products	SL3126	Balcony Bright Gold		26" x 20"	Permanent	100	14#
such as cosmetics, food packaging,	SL3226	Byzantine Dull Gold		26" x 20"	Permanent	100	14#
appliances, sporting goods, greeting	SL3626	Playhouse Bright Silver		26" x 20"	Permanent	100	14#
cards. Oxidizing offset inks.	SL3726	Theatre I	Oull Silver	26" x 20"	Permanent	100	14#
Satin Cloth - Name Badge & Sp	ecialty Prom	notion			Nomin	al 80# 1-1/4″ So	cored Liner
Description	Stoc	k No.	Sheet Size	Adh	esive	Sheets/CTN	Carton Wt
Ideal material for name badge and	SL3420		17″ x 22″	Badge		100	15#

unique Point-of-Purchase displays. Conformable for clothing. Oxidizing offset inks are recommended.

White Vinyl - Debut Nominal 80# 1-1/4" S									
Description	Stock No.	Face Stock	Sheet Size	Adhesive	Sheets/ CTN	Carton Wt			
4.0-mil top coated matte white vinyl.	SL5001	White	18" x 24"	Permanent	500	110#			
For labeling of chemical containers and product identification. Good	SL2002	White	18″ x 24″	Removable	100	22#			
outdoor durability. Conforms well to	GX0010**	White	27" x 20"	Permanent	100	25#			
irregular surfaces. Oxidizing offset inks recommended.	GX0009**	White	27" x 38"	Permanent	100	48#			

** Nominal 80# liner with no scores or back print

Both indoors and outdoors up to six months. Oxidizing inks recommended. Not recommended as name badge and should not be applied to surfaces coated with wax, oils or other contaminants which my deaden the adhesive.

Vinyl with Repositionable Adhes	Nomi	nal 80# Liner No :	Scores No I	Back Print		
Description	Stock No.	Face Stock	Sheet Size	Adhesive	Sheets/ CTN	Carton Wt
4.0-mil top coated matte white and	GX5005	Matte Clear	27" x 20"	Repositionable	500	110#
matte clear vinyl. A versatile alternative to static that conforms better to irregular	GX5006	White	27" x 20"	Repositionable	500	110#
surfaces. Easier to print and handle than static cling. Ideal for P.O.P. and signage.	GX8008	White	27" x 38"	Repositionable	100	48#

Steadfast paper 888.483.6300 www.steadfastpaper.com Authorized Distributor.



Films & Specialty



Teslin[®] - 7.0-mil Teslin SP Descrip

shipping labels, menus, maps, manuals, posters, P.O.P.'s novelties and banners.

Standard inks can be used on one and two color jobs. Oxidizing inks are recommended for three or more colors.

ww.steadfastpaper.com

Authorized Distributor

Teslin [®] - 7.0-mil Teslin SP		Nominal 80# Liner 1-1/4" Scores No Back Print				
Description	Stock No.	Face Stock	Sheet Size	Adhesive	Sheets/CTN	Carton Wt
Synthetic stock with the high quality	SL2321	White	8 1/2" x 11"	Permanent	2,000	64#
printability of fine paper and strength of films. Outdoor applications up to	SL2322	White	17" x 22"	Permanent	500	64#
one year. Varnish the sheet to prevent discoloration. Ideal for tags, address/	SL2323	White	26" x 20"	Permanent	500	88#

Teslin for Indigo printing is available on page 10.

						_
Polypropylene - White Synthetic	: Paper - I	Premiere	N	lominal 80# Liner	1-1/4" Scores N	lo Back Pri
A 4.0-mil white clay-coated, tear- resistant polypropylene film that looks and prints like fine offset paper. Dries faster than most synthetics. It is 100% waterproof. Semi conformable. Suitable for limited outdoor applications up to six months. Oxidizing offset inks recommended.	SL4018 SL4027	White White	18″ x 24″ 27″ x 20″	Permanent Permanent	500 500	64# 88#
Polyester - Clear - Charade			Р	olycoated 90# Line	er No Scores N	lo Back Pri
Optically-clear, top coated, glossy	GI0159	1.0-mil	27″ x 20″	Permanent	100	21#
polyester. Window, door labels and emblems. Windshields and display case merchandising. Good outdoor use up to 18 months. Oxidizing offset inks recommended.	GI0259	2.0-mil	27" x 20"	Permanent	100	23#
Polyester - Silver - Spotlite II			Р	olycoated 90# Line	er No Scores N	lo Back Pr
Bright silver, top coated polyester. Nameplates, decals, promotional labels. Top coated for ink receptivity. Oxidizing offset inks recommended. May be used outdoors for up to 18 months	E19508	Bright Silver	27" x 20"	Permanent	100	23#
Acetate - Vignette			Р	olycoated 90# Line	er No Scores N	lo Back Pr
Glossy clear 2.0-mil Acetate. Popular for wafer seals. Also merchandising, display case promotions, two-way signs, for transparent indoor applications. Oxidizing offset inks recommended. Not intended for outdoor use.	GI0029	Clear	26" x 20"	Permanent	100	21#



DIDN

Indigo Presses

STARLINER[®] pressure-sensitive sheet products optimized and certified for HP Indigo sheet-fed presses. Ideal for short runs, personalized and variable information. Perfect for retail signage, P.O.P., announcements, exhibit displays and prime product identification. Many products available with and without scores. Now the most popular products are available in 500 sheet cartons.

Cast Coated G	loss ITC				Brightness 80	5 Gloss 84 C	pacity 90
Stock No.	GSM	Caliper	Sheet Size	Adhesive	Liner	Sheets/ CTN	Carton Weight
SLI7200 🗸	227	8.5	12″ x 18″	Permanent	80# STARLINER® Scores	200	15#
SLI7200-5 🗸	227	8.5	12″ x 18″	Permanent	80# STARLINER Scores	500	36#
SLI7200-13 🗸	227	8.5	13″ x 19″	Permanent	80# STARLINER Scores	500	40#
SLI7200-00 🗸	227	8.5	12″ x 18″	Permanent	80# OSOP	200	15#
Semi-Gloss ITC	C				Brightness 84	4 Gloss 74 C	pacity 88
SLI7210 🗸	224	7.9	12″x 18″	Permanent	80# STARLINER Scores	200	15#
SLI7210-5 🗸	224	7.9	12″ x 18″	Permanent	80# STARLINER Scores	500	36#
SLI7210-13 🗸	224	7.9	13″ x 19″	Permanent	80# STARLINER Scores	500	40#
SLI7210-00 🗸	224	7.9	12" x 18"	Permanent	80# OSOP	200	15#
Matte Litho IT	с				Bri	ghtness 84 C	pacity 82
SLI7250 🗸	236	8.8	12″ x 18″	Permanent	80# STARLINER Scores	200	15#
SLI7250-5 🗸	236	8.8	12″ x 18″	Permanent	80# STARLINER Scores	500	36#
SLI7250-13 🗸	236	8.8	13″ x 19″	Permanent	80# STARLINER Scores	500	40#
SLI7250-00 🗸	236	8.8	12" x 18"	Permanent	80# OSOP	200	15#
Smooth Uncoa	ated Mul	ti-Purpose	- Blinding W	hite2 Multi	Bri	ghtness 98 C	pacity 93
SL1310 🗸 🗸	231	8.5	12″ x 18″	Permanent	80# STARLINER Scores	200	15#
SL1310-5 🗸 🗸	231	8.5	12″ x 18″	Permanent	80# STARLINER Scores	500	36#
SL1310-13 🗸 🗸	231	8.5	13″ x 19″	Permanent	80# STARLINER Scores	500	40#
SL1310-00 🗸 🗸	231	8.5	12″ x 18″	Permanent	80# OSOP	200	15#
	Certified f	for both Indigo	and NexPress pri	inting			
8pt Coated Tag	g - Previe	w ITC			Brightness 87	Opacity 78 C	pacity 95
SLI7300 🗸	334	13.3	12″ x 18″	Permanent	80# STARLINER Scores	100	19#
SLI7300-00 🗸	334	13.3	12″ x 18″	Permanent	80# OSOP	100	19#
SLI7300-13 🗸	334	13.3	13″x 19″	Permanent	80# STARLINER Scores	400	24#
Teslin® 7.0-mil	SP						
SL2324 🗸	225	12.5	12″ x 18″	Permanent	80# STARLINER Scores	500	40#







Indigo Presses — CONTINUED



Stock No.	GSM	Caliper	Sheet Size	Adhesive	Liner	CTN	Weight
INV8000 🗸	267	8.8	12″ x 18″	Permanent	80# Scores OP	100	8#
3.4-mil White	Vinyl ITC	- Prestige '	White ITC				
INV8200 🗸	267	8.8	12" x 18"	Ultra Removable	80# Scores OP	100	8#
3.4-mil Matte	Clear Vin	yl ITC Pres	tige Clear ITC	:			
INV9200 🗸	245	8.5	12″ x 18″	Ultra Removable	80# OSOP	100	8#

✓ Tested and certified for HP5000/5500 and HP7000/7500 Rochester Institute of Technology's (RIT) Printing Applications Laboratory GSM = Grams/Meter Square





FUSION

TONER

Digital Presses Including Cougar® and Blinding White2

Popular face stocks optimized for toner fusion digital presses. Can be pre-printed with offset inks compatible with toner fusion printing. These products perform on today's dry toner digital presses such as Xerox iGen series, Kodak NexPress series and Canon imagePress VP as well a other high speed production sized digital printers. Always test. Follow the digital manufacturer's guidelines for printing pressure-sensitive stock. Digital is ideal for short runs and variable information. Perfect for retail signage, POP, announcements, exhibit displays and prime and variable labels. Paper products can also be used on many direct image (DI) presses.

Cast Coated G	iloss Digi	tal		Br	ightness 86 Gloss 90 Opacit	ty 84 OPQ Op	acity 99.
Stock No.	GSM	Caliper	Sheet Size	Adhesive	Liner	Sheets/ CTN	Carton Weight
SL0042	230	8.8	8 1/2" x 11"	Permanent	80# STARLINER® Scores	2,000	64#
SL0042-1	230	8.8	8 1/2" x 11"	Permanent	80# STARLINER Scores	1,000	31#
SL0012 🗸	230	8.8	12″ x 18″	Permanent	80# STARLINER Scores	200	16#
SL0012-5 🗸	230	8.8	12″ x 18″	Permanent	80# STARLINER Scores	500	36#
SL0012-13 🗸	230	8.8	13″ x 19″	Permanent	80# STARLINER Scores	500	40#
SL0012-00 🗸	230	8.8	12″ x 18″	Permanent	80# OSOP	200	16#
SL0011	230	8.8	12" x 18"	Permanent Opaque	80# Scores OP	200	16#
Semi-Gloss Di	igital			Br	ightness 90 Gloss 75 Opacit	ty 88 OPQ Op	acity 99
SL0028	230	8.8	8 1/2" x 11"	Permanent	80# STARLINER Scores	2,000	64#
SL0028-1	230	8.8	8 1/2" x 11"	Permanent	80# STARLINER Scores	1,000	31#
SL0027	230	8.8	8 1/2" x 11"	Removable	80# STARLINER Scores	2,000	64#
SL0026 🗸	230	8.8	12″ x 18″	Permanent	80# STARLINER Scores	200	16#
SL0026-5 🗸	230	8.8	12″ x 18″	Permanent	80# STARLINER Scores	500	36#
SL0026-13 🗸	230	8.8	13″ x 19″	Permanent	80# STARLINER Scores	500	40#
SL0026-00 🗸	230	8.8	12″ x 18″	Permanent	80# OSOP	200	16#
SL0031 🗸	230	8.0	12″ x 18″	Permanent Opaque	80# Scores OP	200	16#
Matte Litho D	igital				Brightness 89 Opaci	ty 89 OPQ Op	acity 99
SL0091	230	8.8	8 1/2" x 11"	Permanent	80# STARLINER Scores	2,000	64#
SL0091-1	230	8.8	8 1/2" x 11"	Permanent	80# STARLINER Scores	1,000	31#
SL0090	230	8.8	8 1/2" x 11"	Removable	80# STARLINER Scores	2,000	64#
SL0096 🗸	230	8.8	12″ x 18″	Permanent	80# STARLINER Scores	200	16#
SL0096-5 🗸	230	8.8	12″ x 18″	Permanent	80# STARLINER Scores	500	36#
SL0096-13 🗸	230	8.8	13″ x 19″	Permanent	80# STARLINER Scores	500	40#
SL0096-00 🗸	230	8.8	12″ x 18″	Permanent	80# OSOP	200	16#
SL0043	230	8.0	12" x 18"	Permanent Opaque	80# Scores OP	200	16#

 Tested and certified for Kodak NexPress by Rochester Institute of Technology's (RIT) Printing Applications Laboratory

GSM = Grams/Meter Square





Digital Presses — CONTINUED

111		

Uncoated Litho Digital | Novelty® Digital

Brightness 96 | Opacity 95 | OPQ Opacity 99.5

Stock No.	GSM	Caliper	Sheet Size	Adhesive	Liner	Sheets/ CTN	Carton Weight
SL0085N	230	9.5	8 1/2" x 11"	Permanent	80# STARLINER® Scores	2,000	64#
SL0085N-1	230	9.5	8 1/2" x 11"	Permanent	80# STARLINER Scores	1,000	31#
SL0081N	230	9.5	8 1/2" x 11"	Removable	80# STARLINER Scores	2,000	64#
SL1085N 🗸	230	9.5	12″ x 18″	Permanent	80# STARLINER Scores	200	16#
SL1085N-5 🗸	230	9.5	12″ x 18″	Permanent	80# STARLINER Scores	500	36#
SL0088N 🗸	230	9.5	12″ x 18″	Permanent Opaque	80# Scores OP	200	16#
Uncoated Smo	ooth Mul	ti Blindin	g White2 Mul	ti		Brightness 98 C	pacity 93
SL1310 🗸 🗸	231	8.5	12″ x 18″	Permanent	80# STARLINER Scores	200	15#
SL1310-5 🗸 🗸	231	8.5	12″ x 18″	Permanent	80# STARLINER Scores	500	36#
SL1310-13 🗸 🗸	231	8.5	13″ x 19″	Permanent	80# STARLINER Scores	500	40#
SL1310-00 🗸 🗸	231	8.5	12″ x 18″	Permanent	80# OSOP	200	15#

Certified for both Indigo and NexPress printing

Cougar® Opaque Bright White Uncoated							bacity 93
SLC0085-1	230	9.5	8 1/2″ x 11″	Permanent	80# STARLINER® Scores	1,000	31#
SLC1085	230	9.5	12" x 18"	Permanent	80# STARLINER® Scores	200	16#
3.4 mil White	Vinyl TF [Debut Wł	nite TF				
TFW1012 🗸	267	8.8	12" x 18"	Permanent	80# Scores OP	100	8#
3.4 mil White	Vinyl TF F	Prestige V	Vhite TF				
TFW2012 🗸	267	8.8	12″ x 18″	Ultra Removable	80# Scores OP	100	8#
3.4 mil Matte	Clear Viny	ITF Pres	stige Clear TF				
TFC2012 🗸	245	8.5	12″ x 18″	Ultra Removable	80# OSOP	100	8#

🗸 Tested and certified for Kodak NexPress by Rochester Institute of Technology's (RIT) Printing Applications Laboratory

Tested and certified for HP5000/5500 and HP7000/7500 Rochester Institute of Technology's (RIT) Printing Applications Laboratory GSM = Grams/Meter Square







MAC2DAY - Custom Sheet Sizes in as little as 2 days



MAC2DAY[™] is the quick and efficient way to get skid packed pressure-sensitive sheets shipped to your printer in as little as 2 business days. Your printer saves the time and expense of opening and disposing of multiple cartons. And MAC2DAY is the first program to offer custom sized sheets specifically for toner fusion and Indigo presses.

- Most Popular Paper Faces including High-Gloss, Semi-Gloss, Matte Litho, Uncoated Litho and 8pt. Coated Tag
- Permanent and Removable Adhesives
- Nominal 80# Liner Scored and Unscored Available
- Virtually any size sheet you need.
- Skid packed on standard sized skids.
- Sheets for commercial offset and for Indigo and production digital Presses.
- Ships from our Columbus, IN facility in as little as 2 business days.
- 1.5-30 MMSI ship in 2 business days, larger quantities may take additional time.

IMPORTANT MAC2DAY[™] Order Guidelines

Order Cut Off Time	Please fax or email your orders to Customer Service at 888-321-8834 / DistributorOrders@Mactac.com by 4:00pm Eastern Time for qualified orders to ship in 2 business days.					
Order Size	Orders from 1.5 to 30 MMSI on standard skids sized orders on standard skids in 2 business days. Larger quantities or special skid sizes may take additional time. Please contact our inside sales team for more information.					
Sheet Sizes	Available in virtually any sheet size needed. Width minimum is 16" and maximum is 52". Sheet length minimum is 18" and maximum is 40". Cut size 8-1/2" x 11" are also available.					
Calculating MMSI	MMSI per sheet is ((W" x L") x .000001)Total MMSI is MMSI of single sheet multiplied by total number of sheetsexample: 17" x 24" 3 mmsi = 7,350 sheets30 mmsi = 73,500 sheetsexample: 26" x 34" 3 mmsi = 3,400 sheets30 mmsi = 34,000 sheets					

Custom Constructions

Besides the readily available products offered in our **MAC2DAY** program, we can also manufacture custom constructions of pressure-sensitive sheets to meet your specific needs. We can offer custom face stocks, adhesives and even custom scores on liners as well as custom back printing. Contact us at 866-622-8223 to discuss you specific applications.

Quantities: Over/Under Shipments Custom orders using standard stock materials will be considered complete if the quantity is +/- 10% of quantity ordered. Custom orders requiring special purchase material will be considered complete if the quantity shipped is +/- 20% quantity ordered.

Minimum Order Size: Dependent on specific product construction.

Sheet Tolerances: Contact Mactac Inside Sales at 866-622-8223 for guidelines.

Custom Scores: A minimum distances of 1-1/4" between scores is required. Allow for a moderate plus or minus tolerance from edge of sheet to first score + 1/32" score tolerance. There is a \$50.00 set up charge plus \$.02/MSI. Minimum order 3 MMSI.

Guarantee: All products are 100% guaranteed for quality workmanship and materials. All products are sold with the understanding that the user will pre-test to determine printability and suitability for intended end use

Call Mactac[®] Inside Sales 866-622-8223 for more information.



MAC2DAY - Custom Sheet Sizes in as little as 2 days

OFFSET			
Part #	Facestock	Adhesive	Liner Scores
HM100022	60# High-Gloss	Permanent	1
HM100123	60# High-Gloss	Permanent	
HMR1000	60# High-Gloss	Removable	1
HMR1001	60# High-Gloss	Removable	
HM1002	60# Semi-Gloss	Permanent	1
HM1003	60# Semi-Gloss	Permanent	
HMR1002	60# Semi-Gloss	Removable	1
HMR1003	60# Semi-Gloss	Removable	
HM1009	60# Matte	Permanent	\checkmark
HM1010	60# Matte	Permanent	
HMR1009	60# Matte	Removable	\checkmark
HMR1010	60# Matte	Removable	
HM1004N	60# Uncoated Offset	Permanent	\checkmark
HM1005N	60# Uncoated Offset	Permanent	
HMR1004N	60# Uncoated Offset	Removable	1
HMR1005N	60# Uncoated Offset	Removable	
HM1006N	8 pt. (100#) Coated Tag	Permanent	
HF2013N	8pt. (100#) Coated Tag	Permanent	1
HA4505	60# High-Gloss Blockout	Permanent	1
HA4506	60# High-Gloss Blockout	Permanent	
HB2011	60# Semi-Gloss Blockout	Permanent	1
HC2510	60# Matte Blockout	Permanent	1
HD1020	60# Uncoated Offset Blockout	Permanent	1
HJ2014	Red Fluorescent	Permanent	1
HJ2025	Green Fluorescent	Permanent	1
HJ2031	Orange Fluorescent	Permanent	1
HJ2037	Chartreuse Fluorescent	Permanent	1
HJ2040	Pink Fluorescent	Permanent	1

Indigo			
Part #	Facestock	Adhesive	Liner Scores
HMI1000	60# High-Gloss	Permanent	1
HMI1001	60# High-Gloss	Permanent	
HMI1002	60# Semi-Gloss	Permanent	1
HMI1003	60# Semi-Gloss	Permanent	
HMI1009	60# Matte	Permanent	1
HMI1010	60# Matte	Permanent	
HMI1004	60# Uncoated Offset	Permanent	1
HMI1005	60# Uncoated Offset	Permanent	
HMI1006D	8pt. (100#) Tag	Permanent	

Toner Fusion			
Part #	Facestock	Adhesive	Liner Scores
HMD1000	60# High-Gloss	Permanent	1
HMD1001	60# High-Gloss	Permanent	
HMD1002	60# Semi-Gloss	Permanent	1
HMD1003	60# Semi-Gloss	Permanent	
HMD1009	60# Matte	Permanent	1
HMD1010	60# Matte	Permanent	
HMD1004	60# Uncoated Offset	Permanent	\checkmark
HMD1005	60# Uncoated Offset	Permanent	
HJ2014	Red Fluorescent	Permanent	1
HJ2025	Green Fluorescent	Permanent	1
HJ2031	Orange Fluorescent	Permanent	1
HJ2037	Chartreuse Fluorescent	Permanent	1
HJ2040	Pink Fluorescent	Permanent	1

Min. Quantity = 1.5 million square inches Max. Quantity = 30 million square inches







WARRANTY

Mactac products are warranted to be free of defects in material and workmanship for a period of (24) twenty-four months from the date of delivery to the Purchaser. THE FOREGOING WARRANTY IS MADE SOLELY TO THE FIRST PURCHASER FROM Mactac (the "Purchaser"). AND IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, EXPRESS, IMPLIED BY LAW OR OTHERWISE.

It is expressly agreed and understood that the liability or obligation of Mactac to Purchaser under the foregoing warranty or otherwise shall be limited to, at the option of Mactac, the replacement of, or the issuance of a credit in the amount of the replacement value of, any products which, in its opinion, is proved to be defective in material or workmanship at the date the products are delivered. Furthermore, in order for Purchaser to be eligible to receive such replacement or credit, Purchaser must notify Mactac of the alleged defective product immediately after such defect is discovered or ought to have been discovered, and Purchaser must return the defective products to Mactac within thirty (30) days after the request by Mactac for their return for inspection.

THE WARRANTY PROVIDED HEREIN DOES NOT COVER ANY ECONOMIC LOSS SUSTAINED BY PURCHASER IF NOT ACCOMPANIED BY DAMAGE TO PROPERTY OR PERSONAL INJURY OR ANY INCONVENIENCE, TRANSPORTATION DAMAGE, MISUSE, ABUSE, ACCIDENT OR SIMILAR INCIDENT.

THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OR MERCHANTABILITY, FITNESS OR OTHERWISE, WHICH EXTEND BEYOND THE FACE HEREOF.

As stated above, the liability of Mactac for defective products shall not exceed the replacement value of the products.



© 2017 Morgan Adhesives Company, LLC MAC0350 ver. 3 (01/17) Mactac, STARLINER, Novelty, Cinema, Matinee, Lyric, Colorcode, Premiere Encore, IMAGIN, wallNOODLE and MAC2DAY are registered trademarks of Morgan Adhesives Company, LLC

Mactac North America | 4560 Darrow Road | Stow, OH 44224-1898 Customer Service 800-321-8834 | Inside Sales 866-622-8223 Mactac.Americas@Mactac.com | Mactac.com/sheets